

SPRING

In Collection

Brand	Oryzon	
Production	EN 1307 - Tuft	
Certification Site	1109	
Surface Aspect	1/8" CUTPILE	
Pile Content	100% PP	
Pile Weight	440 g/m ²	

(latest update:)

Backing: Marine (574)

Usage	Tuftgrass < 10mm	
Pile Height	6 mm	
Total Height	7 mm	
Total Weight	1050 g/m ²	
Pile Direction	OUT	
Standard Length	30 m	
Fire Behaviour	EFL	
DOP	1109 7737005740	

Available colours and widths

	200	400
6000 BLAUW	✓	✓
7000 GROEN	✓	✓
8000 GRIJS	✓	✓

SPRING

In Collection

Brand	Oryzon	
Production	EN 1307 - Tuft	
Certification Site	1109	
Surface Aspect	1/8" CUTPILE	
Pile Content	100% PP	
Pile Weight	440 g/m ²	

(latest update:)

Backing: Marine + nop (543)

Usage	Tuftgrass < 10mm	
Pile Height	6 mm	
Total Height	7 mm	
Total Weight	1250 g/m ²	
Pile Direction	OUT	
Standard Length	30 m	
Fire Behaviour	EFL	
DOP	1109 7737005430	

Available colours and widths

	200	400
7000 GROEN	✓	✓

SPRING

In Collection

Brand	Oryzon	
Production	EN 1307 - Tuft	
Certification Site	1109	
Surface Aspect	1/8" CUTPILE	
Pile Content	100% PP	
Pile Weight	440 g/m ²	

(latest update:)

Backing: Marine Cfl (576)

Usage	Tuftgrass < 10mm	
Pile Height	6 mm	
Total Height	7 mm	
Total Weight	1250 g/m ²	
Pile Direction	OUT	
Standard Length	30 m	
Fire Behaviour	CFL-S1	
To be permanently glued	No	
Performed on a non-combustible substrate	Yes	
To be certified by a Notified Body	No	
CPD Number	0493-CPD-0084	
DOP	1109 7737005760	

Available colours and widths

	200	400
7000 GROEN	✓	✓